Author Index of Volume 144

Abbaschian, R., 11, 277
Agarwala, V., 215
Ahmad, I., 91
Alman, D. E., 51
Andrews, R. M., 165
Asthana, R., 169

Behrendt, D. R., 63
Bhagat, R. B., 243, 319
Bonollo, F., 303
Borrelly, R., 311
Burke, M. G., 111

Cardinal, S., 311
Chang, K. E., 221
Chiang, Y.-M., 63
Christodoulou, L., 45
Clark, D. E., 91
Cook, A. J., 189
Cornie, J. A., 159, 253
Cotton, J. D., 287

Dafir, D., 311
Dalton, R. C., 91
Das, S., 229
Divecha, D., 207
Dunand, D. C., 179

El-Kaddah, N., 221
Evans, A. G., 143, 153

Flemings, M. C., 253
Fletcher, T. R., 159
Flinn, B. D., 143, 153
Folsom, C., 143

Gedeon, S. A., 237
German, R. M., 1
Gobin, P. F., 311
Gokhale, A. B., 11
Gudmundsson, B., 127
Guerriero, R., 303
Guichon, G., 311
Gungor, M. N., 111
Gupta, M., 99

Han, D., 293
Haught, D., 207
Hecht, R. J., 277
Herman, H., 127
House, M. B., 319

Kampe, S. L., 45
Karmarkar, S., 207
Kaufman, M. J., 287
Kim, Y. S., 277, 287
Koczak, M. J., 37

Lam, D. C. C., 143
Lange, F. F., 143, 153
Larsen, D. E., 45
Lavernia, E. J., 99
Levi, C. G., 25
Lofvander, J. P. A., 25
Lu, L., 11

Margolin, H., 133
Mazdiyasni, K. S., 83
McCullough, C., 25
Mecholsky Jr., J. J., 293
Mehrabian, R., 25
Merle, P., 311
Messner, R. P., 63
Misiolek, W., 1
Mohamed, F. A., 99
Mohan, S., 215
Moon, H.-K., 253
Mortensen, A., 165, 179

Nardone, V. C., 121, 267
Nourbakhsh, S., 133

Prasad, B. K., 229
Prewo, K. M., 267

Ray, S., 215
Rohatgi, P. K., 169
Roidt, R. M., 111
Russell, K. C., 159

Sadler, P., 45
Sahoo, P., 37
Sampath, S., 127
Sentimenti, E., 303
Stoloff, N. S., 51
Strife, J. R., 267
Sudre, O., 143

Talmy, I., 207
Tangerini, I., 237, 303
Terwilliger, C. D., 63
Thompson, M. S., 121
Tiwari, R., 127

Urquhart, A. W., 75

Valencia, J. J., 25
Velamakanni, B. V., 143

Werner, P. S., 189

Xiao, L., 277

Yang, W. L., 303

Zok, F. W., 143, 153

© Elsevier Sequoia/Printed in The Netherlands

Subject Index of Volume 144

Alloys
  analysis of *in situ* formation of titanium carbide in aluminum alloys, 37
  powder processing of intermetallic alloys and intermetallic matrix composites, 51
  solidification synthesis of pressure-infiltrated Al alloy 2014–SiC platelet composites, 169
  study by thermoelectric power measurements of the microstructural evolution of the matrix of SiC–particle–reinforced aluminium alloy 6061, 311
  the significance of the matrix microstructure on the solid lubrication characteristics of graphite in aluminium alloys, 229
Aluminium
  analysis of *in situ* formation of titanium carbide in aluminum alloys, 37
  elevated-temperature mechanical properties of silicon-carbide-whisker-reinforced aluminum matrix composites, 319
  in situ formation of an alumina interface coating in reactively synthesized $NbAl_3$–Nb composites, 11
  in-situ-grown reinforcements for titanium aluminides, 25
  investment-cast processing of XD™ near-γ titanium aluminides, 45
  liquid–liquid dispersion for fabrication of Al–Pb metal–metal composites, 215
  Lorentz-force-driven infiltration by aluminum, 165
  on the dispersion of SiC–Al slurries in rotating flows, 221
  processing and properties of Al_2O_3–Al composites, 153
  reactive sintering and reactive hot isostatic compaction of aluminide matrix composites, 1
  rheological behavior of SiC particulate–(Al–6.5wt.%Si) composite slurries at temperatures above the liquidus and within the liquid + solid region of the matrix, 253
  study by thermoelectric power measurements of the microstructural evolution of the matrix of SiC-particle-reinforced aluminium alloy 6061, 311
  the effect of quenching on the mechanical properties of powder metallurgically produced Al–SiC (particles) metal matrix composites, 303
  the significance of the matrix microstructure on the solid lubrication characteristics of graphite in aluminium alloys, 229

Capacitance
  a capacitance technique for studying pressure infiltration, 159
Carbon
  analysis of *in situ* formation of titanium carbide in aluminum alloys, 37
  elevated-temperature mechanical properties of silicon-carbide-whisker-reinforced aluminum matrix composites, 319
  fracture behavior of metal particulate-reinforced WC–Co composites, 293
  on the dispersion of SiC–Al slurries in rotating flows, 221
  reaction-formed silicon carbide, 63
  rheological behavior of SiC particulate–(Al–6.5wt.%Si) composite slurries at temperatures above the liquidus and within the liquid + solid region of the matrix, 253
Casting
  a new method for bonding metal matrix composite inserts during casting, 237
  high pressure infiltration casting: manufacturing net shape composites with a unique interface, 243
Ceramics
  ceramic composite matrices from metal–organic precursors, 83
  novel reinforced ceramics and metals: a review of Lanxide's composite technologies, 75
  powder processing of ceramic matrix composites, 143
  processing of continuous-ceramic-fiber-reinforced intermetallic composites by pressure casting, 133
Chlorine
  reinforced silver chloride as a model material for the study of dislocations in metal matrix composites, 179
Cobalt
  fracture behavior of metal particulate-reinforced WC–Co composites, 293
Combustion
  microwave ignition and combustion synthesis of composites, 91
Composites
  a new method for bonding metal matrix composite inserts during casting, 237
  ceramic composite matrices from metal–organic precursors, 83
  elevated-temperature mechanical properties of silicon-carbide-whisker-reinforced aluminum matrix composites, 319
  fracture behavior of metal particulate-reinforced WC–Co composites, 293
  heat transfer mechanisms and their effects on microstructure during spray atomization and codeposition of metal matrix composites, 99
  high pressure infiltration casting: manufacturing net shape composites with a unique interface, 243
  in situ formation of an alumina interface coating in reactively synthesized $NbAl_3$–Nb composites, 11
  in-situ--reinforced titanium matrix composites, 121
  liquid–liquid dispersion for fabrication of Al–Pb metal–metal composites, 215
  microwave ignition and combustion synthesis of composites, 91
  mullite whisker felt and its application in composites, 207
  novel reinforced ceramics and metals: a review of Lanxide's composite technologies, 75
  plasma deposition of particulate-reinforced metal matrix composites, 111
  plasma spray consolidation of high temperature composites, 127
  powder processing of ceramic matrix composites, 143

© Elsevier Sequoia/Printed in The Netherlands

powder processing of intermetallic alloys and intermetallic matrix composites, 51
pressure infiltration casting of metal matrix composites, 189
processing and mechanical properties of niobium-reinforced $MoSi_2$ composites, 277
processing and properties of Al_2O_3–Al composites, 153
processing of continuous-ceramic-fiber-reinforced intermetallic composites, by pressure casting, 133
reactive sintering and reactive hot isostatic compaction of aluminide matrix composites, 1
reinforced silver chloride as a model material for the study of dislocations in metal matrix composites, 179
rheological behavior of SiC particulate–(Al–6.5wt.%Si) composite slurries at temperatures above the liquidus and within the liquid + solid region of the matrix, 253
solidification synthesis of pressure-infiltrated Al alloy 2014–SiC platelet composites, 169
the effect of quenching on the mechanical properties of powder metallurgically produced Al–SiC (particles) metal matrix composites, 303

Deposition
heat transfer mechanisms and their effects on microstructure during spray atomization and codeposition of metal matrix composites, 99
plasma deposition of particulate-reinforced metal matrix composites, 111
Dislocations
reinforced silver chloride as a model material for the study of dislocations in metal matrix composites, 179
Dispersion
on the dispersion of SiC–Al slurries in rotating flows, 221

Fibre reinforcement
processing of continuous-ceramic-fiber-reinforced intermetallic composites by pressure casting, 133

Graphite
the significance of the matrix microstructure on the solid lubrication characteristics of graphite in aluminum alloys, 229

Heat transfer
heat transfer mechanisms and their effects on microstructure during spray atomization and codeposition of metal matrix composites, 99
Hot isostatic compaction
reactive sintering and reactive hot isostatic compaction of aluminide matrix composites, 1

In situ formation
analysis of *in situ* formation of titanium carbide in aluminum alloys, 37
in situ formation of an alumina interface coating in reactively synthesized $NbAl_3$–Nb composites, 11
In situ growth
in-situ-grown reinforcements for titanium aluminides, 25
In-situ-reinforcement
in-situ-reinforced titanium matrix composites, 121
Infiltration
a capacitance technique for studying pressure infiltration, 159
high pressure infiltration casting: manufacturing net shape composites with a unique interface, 243
Lorentz-force-driven infiltration by aluminum, 165
pressure infiltration casting of metal matrix composites, 189
solidification synthesis of pressure-infiltrated Al alloy 2014–SiC platelet composites, 169
Interfaces
high pressure infiltration casting: manufacturing net shape composites with a unique interface, 243
in situ formation of an alumina interface coating in reactively synthesized $NbAl_3$–Nb composites, 11
Intermetallics
powder processing of intermetallic alloys and intermetallic matrix composites, 51
processing of particulate reinforced metals and intermetallics for improved damage tolerance, 267
Intermetallics
processing of continuous-ceramic-fiber-reinforced intermetallic composites by pressure casting, 133
Investment-cast processing
investment-cast processing of XD™ near-γ titanium aluminides, 45

Lead
liquid–liquid dispersion for fabrication of Al–Pb metal–metal composites, 215
Liquid dispersion
liquid–liquid dispersion for fabrication of Al–Pb metal–metal composites, 215
Lorentz-force
Lorentz-force-driven infiltration by aluminum, 165
Lubrication
the significance of the matrix microstructure on the solid lubrication characteristics of graphite in aluminium alloys, 229

Matrices
ceramic composite matrices from metal–organic precursors, 83
Metals
a new method for bonding metal matrix composite inserts during casting, 237
ceramic composite matrices from metal–organic precursors, 83
fracture behavior of metal particulate-reinforced WC–Co composites, 293
heat transfer mechanisms and their effects on microstructure during spray atomization and codeposition of metal matrix composites, 99
liquid–liquid dispersion for fabrication of Al–Pb metal–metal composites, 215
novel reinforced ceramics and metals: a review of Lanxide's composite technologies, 75
plasma deposition of particulate-reinforced metal matrix composites, 111
pressure infiltration casting of metal matrix composites, 189
processing of particulate reinforced metals and intermetallics for improved damage tolerance, 267
reinforced silver chloride as a model material for the study of dislocations in metal matrix composites, 179

Microstructure
heat transfer mechanisms and their effects on microstructure during spray atomization and codeposition of metal matrix composites, 99
study by thermoelectric power measurements of the microstructural evolution of the matrix of SiC-particle-reinforced aluminium alloy 6061, 311
the signifiance of the matrix microstructure on the solid lubrication characteristics of graphite in aluminium alloys, 229
Microwave ignition
microwave ignition and combustion synthesis of composites, 91
Molybdenum
intrinsic second-phase particles in powder-processed $MoSi_2$, 287
processing and mechanical properties of niobium-reinforced $MoSi_2$ composites, 277
Mullite whisker felt
mullite whisker felt and its application in composites, 207

Niobium
in situ formation of an alumina interface coating in reactively synthesized $NbAl_3$–Nb composites, 11
processing and mechanical properties of niobium-reinforced $MoSi_2$ composites, 277

Oxygen
processing and properties of Al_2O_3–Al composites, 153

Particles
fracture behavior of metal particulate-reinforced WC–Co composites, 293
study by thermoelectric power measurements of the microstructural evolution of the matrix of SiC-particle-reinforced aluminium alloy 6061, 311
Particulate-reinforcement
plasma deposition of particulate-reinforced metal matrix composites, 111
Particulates
processing of particulate reinforced metals and intermetallics for improved damage tolerance, 267
rheological behavior of SiC particulate–(Al–6.5wt.%Si) composite slurries at temperatures above the liquidus and within the liquid + solid region of the matrix, 253
Plasma spray consolidation
plasma spray consolidation of high temperature composites, 127
Platelets
solidification synthesis of pressure-infiltrated Al alloy 2014–SiC platelet composites, 169
Powders
intrinsic second-phase particles in powder-processed $MoSi_2$, 287
powder processing of ceramic matrix composites, 143
powder processing of intermetallic alloys and intermetallic matrix composites, 51
the effect of quenching on the mechanical properties of powder metallurgically produced Al–SiC (particles) metal matrix composites, 303
Precursors
ceramic composite matrices from metal–organic precursors, 83
Pressure
a capacitance technique for studying pressure infiltration, 159
high pressure infiltration casting: manufacturing net shape composites with a unique interface, 243
pressure infiltration casting of metal matrix composites, 189
solidification synthesis of pressure-infiltrated Al alloy 2014–SiC platelet composites, 169
Pressure casting
processing of continuous-ceramic-fiber-reinforced intermetallic composites by pressure casting, 133

Quenching
the effect of quenching on the mechanical properties of powder metallurgically produced Al–SiC (particles) metal matrix composites, 303

Rheology
rheological behavior of SiC particulate–(Al–6.5wt.%Si) composite slurries at temperatures above the liquidus and within the liquid + solid region of the matrix, 253

Silicon
elevated-temperature mechanical properties of silicon-carbide-whisker-reinforced aluminum matrix composites, 319
intrinsic second-phase particles in powder-processed $MoSi_2$, 287
on the dispersion of SiC–Al slurries in rotating flows, 221
processing and mechanical properties of niobium-reinforced $MoSi_2$ composites, 277
reaction-formed silicon carbide, 63
rheological behavior of SiC particulate–(Al–6.5wt.%Si) composite slurries at temperatures above the liquidus and within the liquid + solid region of the matrix, 253
the effect of quenching on the mechanical properties of powder metallurgically produced Al–SiC (particles) metal matrix composites, 303
Silver
reinforced silver chloride as a model material for the study of dislocations in metal matrix composites, 179
Sintering
reactive sintering and reactive hot isostatic compaction of aluminide matrix composites, 1
Solidification
solidification synthesis of pressure-infiltrated Al alloy 2014–SiC platelet composites, 169
Spray atomization
heat transfer mechanisms and their effects on microstructure during spray atomization and codeposition of metal matrix composites, 99

Thermoelectric power
study by thermoelectric power measurements of the microstructural evolution of the matrix of SiC-particle-reinforced aluminium alloy 6061, 311
Titanium
analysis of *in situ* formation of titanium carbide in aluminum alloys, 37
in-situ-grown reinforcements for titanium aluminides, 25
in-situ-reinforced titanium matrix composites, 121
investment-cast processing of XD™ near-γ titanium aluminides, 45
Tungsten
fracture behavior of metal particulate-reinforced WC–Co composites, 293